



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## MORBIDITY AND MORTALITY—Continued.

*Morbidity and mortality table for certain diseases, cities of the United States, for week ended Oct. 12, 1912—Continued.*

Cities.	Population, United States Census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tubercu- losis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 25,000 to 50,000 inhabitants—Con.												
Sacramento, Cal.	44,696	18	2					2	3		2	
Salem, Mass.	43,697	14		1			1		3		1	
San Diego, Cal.	39,578	3					1			3	1	
South Omaha, Nebr.	26,259	6							1			
Superior, Wis.	40,384	6										
Taunton, Mass.	34,259	8	3								2	
Waltham, Mass.	27,834	10	3							2		
West Hoboken, N. J.	35,403		1						1		2	
Wheeling, W. Va.	41,641	7	21						2		1	
Williamsport, Pa.	31,860	10									1	
Wilmington, N. C.	25,748	15	2	1			1		1	1	6	2
York, Pa.	44,750		3		3						1	
Zanesville, Ohio.	28,026	10	5				3				4	
Cities having less than 25,000 inhabitants.												
Alameda, Cal.	23,833	6			1							
Ann Arbor, Mich.	14,817	3										
Biddeford, Me.	17,079	7										
Braddock, Pa.	17,759				1				1		2	
Cambridge, Ohio.	11,327	3								2	2	
Camden, S. C.							1				1	
Clinton, Mass.	13,075	4										
Columbus, Ga.	20,554	3										
Columbus, Ind.		2	2							1		
Concord, N. H.	21,497	8										1
Cumberland, Md.	21,839	10	1								5	
Dunkirk, N. Y.		6					2		1			1
Galesburg, Ill.	22,089	5							1			
Harrison, N. J.	14,498	3	1						1	1		
Homestead, Pa.	18,710	7	6	1			1		1			
Kearny, N. J.	18,659	1	1						1			
La Fayette, Ind.	20,081	8								2		
Logansport, Ind.		5					2				2	
Marinette, Wis.	14,610	3										
Marlboro, Mass.	14,479	3	4						1			
Massillon, Ohio	23,830	2	2									
Medford, Mass.	23,150	8								1		
Melrose, Mass.	15,715	6										
Moline, Ill.	24,190	4								2	1	
Montclair, N. J.	21,150	5					1				1	
Morristown, N. J.	12,507	6							2	1		
Nanticoke, Pa.	18,857	5										
Newburyport, Mass.	19,240	4										
North Adams, Mass.	22,019	4									1	
Northampton, Mass.	19,431	7							1	1		
Ottumwa, Iowa.	22,012	10									2	
Plainfield, N. J.	23,550	5	1									
Saratoga Springs, N. Y.		3										
South Bethlehem, Pa.		5			1				1		4	1
Steelton, Pa.	14,426	3	4	1					3	2		
Warren, Pa.	11,080	2			2		2					
Wilksburg, Pa.	18,594	6			2				1	1		

**STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated).**

INDIANA.—Month of August, 1912. Population 2,700,876. Total number of deaths from all causes 2,888, including diphtheria 24, measles 3, scarlet fever 3, tuberculosis 279, typhoid fever 71. Cases reported: Diphtheria 247 in 39 counties, scarlet fever 126 cases in

28 counties, smallpox 11 cases in 5 counties, typhoid fever 418 cases in 75 counties.

MARYLAND.—Month of September, 1912. Population 1,295,346. Total number of deaths from communicable diseases 165, including diphtheria 8, scarlet fever 1, tuberculosis 83, typhoid fever 33. Cases reported: Diphtheria 59, scarlet fever 35, typhoid fever 299.

The typhoid-fever cases were distributed as follows: Potomac River watershed 112 cases; Patapsco River watershed 16 cases; Patuxent River watershed 8 cases; Susquehanna River watershed 4 cases; Choptank River watershed 3 cases; Herring run watershed 1 case; Baltimore city water system 18 cases.

*Occupational diseases.*—Only one case of occupational disease was reported during the month as compared with three cases in the month of August, 1912. This was a case of writer's cramp.

NEW YORK.—Month of August, 1912. Population 9,113,614. Total number of deaths from all causes 11,259, including diphtheria 83, measles 55, scarlet fever 29, tuberculosis 1,177, typhoid fever 121. Cases reported: Diphtheria 1,046, measles 1,154, scarlet fever 422, smallpox 22, tuberculosis, pulmonary or laryngeal, 2,262, typhoid fever 997.

OKLAHOMA.—Month of August, 1912. Population 1,657,155. Total number of deaths from all causes 758, including diphtheria 3, tuberculosis 48, typhoid fever 64. Cases reported: Diphtheria 52, scarlet fever 13, smallpox 7, tuberculosis 83, typhoid fever 531.

UTAH.—Month of September, 1912. Population 373,351. Total number of deaths from all causes 258, including diphtheria 1, smallpox 1, tuberculosis 11, typhoid fever 16. Cases reported: Diphtheria 14, measles 22, scarlet fever 31, smallpox 81, tuberculosis 7 (incomplete), typhoid fever 128.